

Creating global HMI solutions





APEMIN With voffers reliabil AGRICULTURAL MACHINERY rocker paddli joystice.


APEM is a leading manufacturer of highreliability Human Machine Interface (HMI) products with more than 20 years' experience in the agricultural industry.

With vertically integrated manufacturing, APEM offers its agricultural customers uncompromised reliability through its custom product development,

manufacturing excellence and out-standing service.

APEM offers a broad range of HMI components designed for the agricultural market, including toggles,

rockers and pushbutton switches, LED indicators, paddle controls as well as switch panels and joysticks.





A BROAD RANGE OF PRODUCTS AND SOLUTIONS

APEM OFFERS

STANDARD PRODUCTS

PANEL SWITCHES

PCB SWITCHES

LED INDICATORS

10YSTICKS

DANIEL COLLITIONIS













CUSTOMIZED PRODUCTS

With robust development processes, and with the support of ergonomics experts, APEM offers a unique expertise in HMI customization. APEM engineers will propose you the best ergonomics, shape, marking, backlighting, material, waterproofing, connection... in line with your expectations and environment.

Depending on your need, APEM can propose fully customized products ("customer exclusive") or a custom design with already qualified HMI components, joystick handles and joystick bases.






CAPABILITY TO BUILD PANEL SOLUTIONS



With quality components and 9 keyboard technologies available, APEM can provide sub-assemblies, design and build a remote control or a complete HMI precisely to your need.

APEM can provide you with full service capabilities, including studies and testing. With control of all stages of production, you can be sure that the solution will perform to mechanical, electrical, environmental and EMC/EMI standards. Our internal electronic teams manage the integration of communication protocols as well as protection filters and power supplies.

YOU HAVE SPECIFIC NEEDS, WE HAVE DEDICATED SOLUTIONS





PREVENT ACCIDENTS DUE TO UNINTENDED OPERATION

Choose a rocker with a reliable interlocking mechanism.

KL SERIES

The KL Series features a small switch at the top that, once pressed, will prevent the switch from being turned on unless it is pressed down.



IMPROVE ERGONOMICS

Integrate a mini joystick on your main joystick.

TS SERIES

This proportional two axis joystick is similar in size and operation to «gamepad» controls, but in a rugged industrial package.



OPTIMIZED SPECIFIC FUNCTIONS ON ONE HANDGRIP

Differentiate your HMI with a custom joystick using qualified and field proven components.

XD RT HANDLE

A multi-axis Hand Grip joystick with ergonomics designed specifically by APEM for demanding vehicle applications.



NAVIGATE THE TOUCH PANEL WHILE KEEPING YOUR HAND ON THE JOYSTICK

Integrate a navigation joystick on you handgrip.

NV SERIES

Contrary to most navigators currently on the market, the NV series provides enhanced tactile feedback in 4 directions plus pushbutton. This results in improved haptics and extremely precise control.



CONFIGURE YOUR JOYSTICK WITH QUALIFIED OFF-THE-SHELF HMI COMPONENTS

The following HMI components can be used on the face and rear plates of our handles:



NV SERIES

- 4 and 5 way operation
- Momentary actuation with tactile feedback
- IP67 panel sealed



FNR SERIES

- Ideal for forwardneutral-reverse functions
- Momentary and latching operations
- Panel sealing to IP69K





HR SERIES

- Hall effect roller
- Spring centering or friction hold
- IP67 sealed electronics and panel sealed options



IX SERIES

- Momentary tactile operation
- Elastomer boot provides IP67 panel sealing
- LED backlighting options

XD SERIES

depth < 60 mm Extremely robust, resists high axial load (1780 N - 400 lbf)

PANEL SOLUTIONS


APEM offers dedicated solutions of complete HMIs or remote controls, based on its knowledge of keyboard technologies and their integration, but also the right selection of high-quality components.

By combining the expertise acquired in the agriculture market and its environment during the last decades, APEM provides the most suitable solution to its customers.



ELECTRONIC & SOFTWARE

PERFORMANCE - APEM's Panel Solutions ensure the highest performance to electronics, environmental and EMC/EMI standards. **EFFICIENT INTEGRATION** - APEM designs electronics and connector systems to fit most applications.



SAFETY

APEM offers standard SIL2 compliant components but also develops custom PLx (AgPLx, MPLx, ...), SILx solutions as per customer requests.



OUR PRODUCTS

APEM OFFERS THE WIDEST RANGE OF HMI COMPONENTS & SOLUTIONS WITH OVER 125,000 STANDARD PART NUMBERS INCLUDING SWITCHES, JOYSTICKS, SWITCH PANELS, INDICATORS.



PANEL SWITCHES

Seale	d & customizable rockers switche:	S
	FNR SERIES	9
	EFFORTLESS FORWARD/REVERSE CONTROL	
8	ROCKERMEC SERIES	10
	COMPACT ROCKER SWITCH	
^	KI SERIES	11

STRONG LOCKING MECHANISM

1	8		
6	6	3	•
न	1	e de	
(8)			

KR SERIES 12
SEALED, CUSTOMIZABLE ROCKER



Highly versatile pushbuttons



JOYSTICKS 15 **IA SERIES** LOW PROFILE & HIGH RELIABILITY Hand grip **IP SERIES** 16 **XD SERIES** 27 HIGHLY VERSATILE PUSHBUTTON DESIGNED FOR DEMANDING APPLICATIONS **FD SERIES** 17 **CJ SERIES** 28 DOUBLE ICON ILLUMINATED PUSHBUTTON AVAILABLE WITH ANALOG OUTPUT **AV SERIES** 18 RUGGED START/STOP METALIC PUSHBUTTON Fingertip **FP SERIES** 19 3000 SERIES 29 **DESIGNED TO ATTRACT ATTENTION** COMPACT, PRECISION HALL EFFECT JOYSTICK HF SERIES E-STOP SOLUTIONS 20 AVAILABLE WITH CAN BUS "SAFE BREAK ACTION" TECHNOLOGY 1000 SERIES 31 High performance toggles COMPACT SWITCH JOYSTICK 5000 SERIES 21 BHN & BL SERIES 32 HIGH PERFORMANCE MINIATURE TOGGLE PROPORTIONAL PADDLE 600 & 600NH SERIES 22 Thumb control SUPERIOR QUALITY TOGGLE SWITCH TS SERIES 33 **Protections** PRECISION FINGERTIP CONTROL MSG & CSG SERIES 23 **NV SERIES** 34 **DESIGNED TO PROTECT** IDEAL AS A DISPLAY CONTROLLER **SEALING BOOTS** 24 HR & CW SERIES. 35 PROTECTS AGAINST DUST, SAND AND WATER UNIQUE THUMB CONTROL MECHANISM **PCB SWITCHES** PANEL SOLUTIONS ELASTOMERIC KEYPAD **MULTIMEC 5 SERIES** 25 36 SOLUTION FOR MULTIPLE BUTTON APPLICATIONS ABSOLUTE RELIABILITY AND FUNCTIONALITY ENHANCED MEMBRANE KEYPAD 37 SEALED AND SHOCK RESISTANT KEYPAD 26 STAINLESS STEEL KEYPAD 38 LARGE VARIETY OF LED SIZES AND COLORS RUGGED, CUSTOMIZABLE BACKLIT KEYPAD

FNR SERIES

FNR ROCKER SWITCH

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



FOR EFFORTLESS FORWARD/REVERSE CONTROL

- 2 or 3 positions, momentary or maintained
- Sealed up to IP67
- 1 NO/NC in each direction
- Illumination with marking
- SIL2 / PLd capable

SERIES	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING
FNR	1 NO/NC	1A /24V	Ø20 mm (787 in)	Flying leads, solder lugs	Panel	IP67

ROCKERMEC / 10A

SEALED PCB ROCKER SWITCH

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



COMPACT ROCKER SWITCH

- 2 or 3 positions, momentary
- Illumination of marking from PCB
- Plug & play PCB module available

• Sealead up to IP67

• Customization possibilities

SERIES	POLES	MAXIMUM RATINGS	MECHANICAL LIFE	MOUNTING OPTIONS	SEALING	ILLUMINATION
10A	1 NO or 1 NC/NO	50mA - 24DVC	500.000 operations	Through hole or SMT mounting	IP67	Single/bi-color/RGB

KL SERIES

LOCKING POWER ROCKER SWITCH

TOP APPLICATIONS: PTO ENGAGEMENT & OTHER CRITICAL FUNCTIONALITIES IN TRACTORS, COMBINES, SPECIALTY HARVESTERS & SELF-PROPELLED SPRAYERS



STRONG LOCKING MECHANISM

- Field proven reliability
- Solid construction
- Elastomer membrane option

- Intuitive ergonomics
- Easy-operation one hand activation

SERIES	POLES	MAXIMUM RATINGS	BUSHING	MOUNTING	TE	RMINAL OPTIO	NS	CEALING	II I I I I I I I I I I I I I I I I I I	
SERIES	POLES	MAXIMUM RATINGS	DIMENSIONS	OPTIONS	Solder lugs	Quick connect	Connector	SEALING	ILLUMINATION	
KL	1,2	10A 24VDC	36.8 x 21.08 mm	Panel	Х	Х	Х	IP69K	Х	

KR SERIES

POWER ROCKER SWITCH

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



SEALED, CUSTOMIZABLE ROCKER

• Large variety of colors • Infinite number of options • Illuminated & laser etched symbols available for cost effective mounting panel and non-illuminated customization solutions accessories available TERMINAL OPTIONS BUSHING MOUNTING SERIES **POLES** MAXIMUM RATINGS SEALING ILLUMINATION DIMENSIONS OPTIONS Solder lugs Quick connect Screw 20A 12VDC KR 1,2 36.8 x 21.08 mm Panel IP69K Χ

PANEL SWITCHES

KH SERIES

POWER ROCKER SWITCH WITH PROTECTION GUARD

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



PROTECTED AGAINST ACCIDENTAL ACTUATION

- Available on 2 or 4 sides
- Customized laser etched legends

- Illuminated versions
- Sealed up to IP68/IP69K

SERIES	POLES	MAXIMUM RATINGS	BUSHING	MOUNTING	TE	RMINAL OPTIO	NS	SEALING	ILLUMINATION	
SERIES	POLES	POLES MAXIMUM RATINGS DIMEN		OPTIONS	Solder lugs	Quick connect	Screw	SEALING	ILLUMINATION	
КН	1,2	10 A 24 VDC	36.8 x 21.08 mm	Panel	X	X	х	IP69K	X	

IX SERIES

COMPACT PUSHBUTTON SWITCH

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



THE NEXT STANDARD

- Compact
- Available with backlit marking
- Dustproof: Membrane on top with no gap between actuator and panel

- Frost, sand and hydrocarbon resistant
- Flush on panel
- Sealed up to IP67/IP69K
- SIL2/PLd capable

SERIES	POLES	MAXIMUM RATINGS	BUSHIND DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING
IX	2	50 mA - 24 VDC	Ø 12 mm (.472 in)	Solder lugs	Panel	IP67/IP69K

IA SERIES

DUSTPROOF PUSHBUTTON SWITCH

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



LOW PROFILE & HIGH RELIABILITY

- Dustproof: Membrane on top with no gap between actuator and panel
- hydrocarbon resistant
- Flush on panel

- Sealed up to IP67
- SIL2/PLd capable

SERIES	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING
IA	1 NO/NC	2A 24VDC	Ø 16 mm (.629 in)	Flying leads	Panel	IP67

IP SERIES

COMPACT PUSHBUTTON SWITCH

TOP APPLICATIONS:SPRAYERS, TRACTORS, COMBINES, SPECIALTY HARVESTERS



HIGHLY VERSATILE PUSHBUTTON

- High performance pushbuttons
- Largest selection of color, shapes, terminals, markings, backlighting
- Unified look, differentiated functions simplified purchasing

			MAXIMUM	BUSHING			TERM	IINAL OPT	IONS			MOUNTING		
SERIES	APPROVALS		DIMENSIONS	Solder lugs	Quick connect	Screw	PCB	Flying leads	Wire Wrap	Cable	OPTIONS	SEALING	ILLUMINATION	
IP	UL	1	5A 28VDC 4A 12VDC	Ø12 (.472)	X	X		х	х			Panel	IP67	x

FD SERIES

DOUBLE ICON ILLUMINATED PUSHBUTTON SWITCH

TOP APPLICATIONS:

AGRICULTURAL MACHINERY DASHBOARD (ENGINE START)



DOUBLE ICON ILLUMINATED PUSHBUTTON

- 3 standard legends (0/1, START/STOP, ON/OFF)
- Sealed up to IP69K

		MAXIMUM	BUSHING			TERM	IINAL OPT	TIONS			MOUNTING		
SERI	ES POLES	RATINGS	DIMENSIONS	Solder lugs	Quick connect	Screw	PCB	Flying leads	Wire Wrap	Cable	OPTIONS	SEALING	ILLUMINATION
FC	1,2	4A 12VDC 200mA 12VDC	Ø24 (.944) Ø26 (1,024)	X							Panel, Snap-in or threaded bushing	IP69K (threaded bushing)	Х

AV30 START STOP

METAL PUSHBUTTON

TOP APPLICATIONS: AGRICULTURAL MACHINERY DASHBOARD (ENGINE START)



RUGGED METALIC PUSHBUTTON

- Robust pushbutton
- Stainless steel actuator and bushing

- Appealing aesthetics
- Easily customizable: marking, illumination

	POLES	MAXIMUM RATINGS			BUSHING			TERM	IINAL OPT	IONS			MOUNTING		
SERIES			DIMENSIONS	Solder lugs	Quick connect	Screw	PCB	Flying leads	Wire Wrap	Cable	OPTIONS	SEALING	ILLUMINATION		
AV	NO/NC	1 A 30 VDC	Ø30 (1.18)	Х	х		х	х		х	Panel	IP67	х		

FP SERIES

FULLY ILLUMINATED PUSHBUTTON SWITCH

TOP APPLICATIONS: IN-CAB CONTROL PANELS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



DESIGNED TO ATTRACT ATTENTION

- Full actuator or symbol illumination
- Sealed up to IP69K

• Fully customizable

- 24/26/30mm diameters
- Threaded or snap-in versions

						TERM	IINAL OPT	TONS					
SERIES	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	Solder lugs	Quick connect	Screw	PCB	Flying leads	Wire Wrap	Cable	MOUNTING OPTIONS	SEALING	ILLUMINATION
FP	1,2	4A 12VDC 200mA 12VDC	Ø24 (.944) Ø26 (1.024) Ø30 (1.18)	X				X		X	Panel, Snap-in or threaded bushing	Up to IP69K	X

EMERGENCY STOPS

ROBUST EMERGENCY STOP

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS





"SAFE BREAK ACTION" TECHNOLOGY

- Exclusive safety technology ensuring that the machinery is stopped if actuator is broken
- Sealed up to IP67
- Compact behind panel
- Available with illumination
- Twist or pull to release

SERIES	SAFE BREAK TECHNOLOGY	PANEL CUT OUT	OPERATOR SIZES	NUMBER OF CONTACTS	TERMINAL CONNECTION	OPERATION	ILLUMINATION
XA	X	16 mm	Ø29 mm (1.141 in) Ø40 mm (1.574 in)	Up to 4 NC : 1,2,3,4 / NO : 0,1	Solder, PCB	Push to lock, pull or turn to reset	Option
xw	X	22 mm	Ø38 mm (1.496 in) Ø40 mm (1.574 in) Ø60 mm (2.362 in)	Up to 4 NC : 1,2,3,4 / NO : 0,1	Screw, solder, PCB	Push to lock, pull or turn to reset	Option





COMPACT SAFETY SWITCHES

• Seal	ed up to IP65, IP67	7 & IP69K	• Compact bod	y • Comp	olies with E	N60947-5-1	L • In	npact resist	ant to IK10
SERIES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING	TER	MINAL OPTION	S	MOUNTING	SEALING
SERIES	APPROVALS	POLES	MAXIMUM RATINGS	DIMENSIONS	Solder lugs	Connector	PCB	OPTIONS	SEALING
ES	EN60947-5-1	2, 3	1A 24VDC	Ø22 (.877) Ø28 (.1.102)	x		×	Panel	IP65, IP67 & IP69K
EC	EN60947-5-1 EN60947-5-5	2	1.5A 24VDC	Ø22 (.877)	Х	Х	Х	Panel	IP65

5000 SERIES

TOGGLE SWITCH

TOP APPLICATIONS:

NAVIGATION & CONTROL SYSTEMS FOR PRECISION FARMING APPLICATIONS



HIGH PERFORMANCE MINIATURE TOGGLE

- High performance, sturdy construction
- Widest variety of actuators, contact materials, functions, poles, terminals, bushings, finishes & sealings
- Visual versatility: sealing boots in 6 different colors
- Easily adaptable to final application
- Available with low level contact

			MAXIMUM	BUSHING			TERM	INAL OP	rions			MOUNTING		
SERIES	APPROVALS	POLES	RATINGS	DIMENSIONS	Solder lugs	Quick connect	Screw	PCB	Flying leads	Wire wrap	Cable	OPTIONS	SEALING	ILLUMINATION
5000	VDE-UL- CSA-CECC	1,2,3,4	3A 250VAC 4A 30VDC	Ø6 (.236) Ø6,35 (1/4) Ø11,9 (15/32)	Х	Х		Х		Х		Panel, Vertical - Through hole, Horizontal- Through hole, Vert. right angle- Through hole	Optional	

600 & 600NH SERIES

POWER TOGGLE SWITCH

TOP APPLICATIONS: TRACTOR ATTACHMENTS & IMPLEMENTS, SPRAYERS & HARVESTING EQUIPMENT LIVESTOCK HOUSING, GREENHOUSES, CONTROL UNITS



SUPERIOR QUALITY TOGGLE SWITCH

- Superior reliability and longer life
- Great sealing
- Visual versatility

• Sealing boots in a wide range of colors and lever choices including paddle levers for at-a-glance directional control

			MAXIMUM	BUSHING			TERM	IINAL OPT	TIONS			MOUNTING		
SERIES	APPROVALS	POLES	RATINGS	DIMENSIONS	Solder lugs	Quick connect	Screw	PCB	Flying leads	Wire wrap	Cable	OPTIONS	SEALING	ILLUMINATION
600H	NF-VDE-UL-CSA	1,2,3	15A 250VAC 10A 24VDC	Ø12 (.472)	х	х	х					Panel	Optional	
600NH	NF-VDE-UL-CSA	1,2,3	15A 250VAC 10A 24VDC	Ø12 (.472)	×	х	х					Panel	No	

MSG & CSG SERIES

SWITCH GUARDS

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



DESIGNED TO PROTECT

- High robustness with no risk of jamming
- Variety of locking options (MSG)
- Hydrocarbon/acid/chemical resistant (MSG)
- Easy marking on top (MSG)
- Complements APEM's toggle range
- Anti-tamper wire seal hole as standard

SERIES	CAP MATERIAL	SUPPORT PLATE	OPERATING TEMPERATURE	MECHANICAL LIFE	SWITCHES	LEVER LENGTH
CSG	Thermoplastic	Thermoplastic	-20°C to + 55°C		Ø11.9mm, Ø12mm threaded bushing	17.5mm outside bushing
MSG	Thermoset	Matte black stainless steel	-40°C to +85°C	20,000 cycles	Ø11.9mm, Ø12mm threaded bushing	17.5mm outside bushing

SEALING BOOT SERIES

SEALING BOOTS

TOP APPLICATIONS: IN CAB & FENDER IN AGRICULTURAL EQUIPMENT, REMOTE CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



PROTECTS AGAINST DUST, SAND AND WATER

• Wide variety of shapes & colors

- Available in silicone and neophrene
- Fast customization to accommodate any actuator length

					TEMPERAT	URE RANGE		MECHANICAL
SERIES	BOOT MATERIAL	NUT MATERIAL	OPERATING T	EMPERATURE	Low	High	ELASTICITY	RESISTANCE
CEALING BOOTS	Neoprene	Brass, nickel	Silicone	-40°C to +85°C	Best	Best	Best	Good
SEALING BOOTS	or silicone	plated, matte black	Neoprene	-20°C to +50°C	Good	Better	Good	Best

SWITCHES

MULTIMEC 5 SERIES

HIGH PERFORMANCE PCB SWITCHES

TOP APPLICATIONS: TRACTORS, COMBINES, SPECIALTY HARVESTERS



ABSOLUTE RELIABILITY AND FUNCTIONALITY

• 10 million trouble-free actuations • Superior illumination with integrated Superior sealing chip-LEDs • Large selection of standard caps Available in NC/NO SERIES MOUNTING OPTIONS SEALING MECHANICAL LIFE POLES MAXIMUM RATING Multimec 5 series -Trough hole or SMT 10,000,000 Single pole / momentary 50mA - 24VDC IP67 5E & 5G mounting operations

Q SERIES

PANEL MOUNT LED INDICATORS

TOP APPLICATIONS:ALL AGRICULTURAL MACHINERY



LARGE VARIETY OF SIZES AND COLORS

- Reverse diode protection available
- · Mide variety of LED colors
- Wire customization available
- Optional sealing up to IP67
- Many different panel cut-out sizes
- Available with custom and secret until lit legends

CEDIEC	PANEL	MAXIMUM	BEZEL STYLES	BEZEL	TE	RMINAL OPTIO	NS	TYPE	LED COLODS
SERIES	CUT-OUT	RATINGS	BEZEL STYLES	FINISHES	Fastons	Pins	Wire	OF ILLUMINATION	LED COLORS
Q	Ø6, 8, 10, 12, 14, 16, 19, 22, 25, 30	2VDC -220VAC	Prominent, recessed & flushed	Bright, satin & black	х	Х	Х	Fixed light, bi-color, RGB, night vision	Suitable for in cab use and outside use which are daylight viewable

JOYSTICKS

XD SERIES

HALL EFFECT ROBUST JOYSTICK

TOP APPLICATIONS: SPRAYERS, TRACTORS, COMBINES, SPECIALTY HARVESTER



DESIGNED FOR DEMANDING APPLICATIONS

- Available with CAN bus J1939-71
- Shallow mounting depth
- IP67 above panel sealing
- Up to 1780 N 400 lbf horizontal load (depending on handle)
- SIL2 / Pld capable

SERIES	MECHANICAL	AXIS	TECHNOLOGY			OUTPUT	OPTIONS			MOUNTING	ABOVE PANEL SEALING
SERIES	LIFECYCLES	AXIS	TECHNOLOGY	Single	Dual	Analog	PWM	USB	CAN bus	OPTIONS	ABOVE PAINEL SEALING
XD	10 million	1 to 2 axis	Hall effect	X	Х				X	Drop-in	IP67

CJ SERIES

MULTIFUNCTION JOYSTICK

TOP APPLICATIONS: TRACTORS, COMBINES, SPECIALTY HARVESTERS



AVAILABLE WITH ANALOG OUTPUT

• Configurable upper & lower faceplates

- Easy mounting with standard cut-out and hole pattern
- reducing the risk of inadvertent actuation

SERIES	MECHANICAL	AXIS	TECHNOLOGY			OUTPUT	OPTIONS			MOUNTING	ABOVE PANEL SEALING
SERIES	LIFECYCLES	ANIS	TECHNOLOGY	Single	Dual	Analog	PWM	USB	CAN bus	OPTIONS	ABOVE PAINEL SEALING
CJ	5 million	1, 2	Hall effect	×	x	x		x	x		Up to IP67

3000 SERIES

PREMIUM HALL EFFECT JOYSTICK

TOP APPLICATIONS:

REMOTE CONTROLS, REACH ARM MOWERS, VEGETATION CONTROL MACHINERY



COMPACT, PRECISION HALL EFFECT JOYSTICK

- technology
- Compact for low profile applications

SER	MECHANICAL	AXIS	TECHNOLOGY			OUTPUT	OPTIONS			MOUNTING	CEALING
SER	LIFECYCLES	AXIS	TECHNOLOGY	Single	Dual	Analog	PWM	USB	CAN bus	OPTIONS	SEALING
300	0 10 million	1, 2, 3	Hall effect	X	Х	Х	X			Drop-in or rear mounting	IP67

HF SERIES

SMALL HALL EFFECT JOYSTICK

TOP APPLICATIONS: TRACTORS, COMBINES, SPECIALTY HARVESTERS



AVAILABLE WITH CAN BUS

- 5 million lifecycles
- Many outputs available, including CAN bus J1939
- Available with 1, 2 or 3 axis
- Very compact
- SIL2 / Pld capable

• Up to IP67 above panel sealing

SERIES	MECHANICAL	AXIS	TECHNOLOGY			OUTPUT	OPTIONS			MOUNTING	SEALING
SERIES	LIFECYCLES	AXIS	TECHNOLOGY	Single	Dual	Analog	PWM	USB	CAN bus	OPTIONS	SEALING
HF	5 million	1, 2, 3	Hall effect	X	X	X		X	X	Drop-in or rear mounting	IP67

1000 / 1000 HE SERIES

COMPACT SWITCH JOYSTICKS

TOP APPLICATIONS: REMOTE CONTROLS FOR AGRICULTURAL EQUIPMENT, SELF PROPELLED SPECIALTY TRACTORS MOWERS, SPRAYERS, HYDRAULIC VALVE CONTROLS, MENU SELECTION FOR SCREEN NAVIGATION



COMPACT SWITCH JOYSTICK

- Configurable with single or double pole switching
- Large selection of robust, ergonomic handles

SERIES	MECHANICAL	AXIS	TECHNOLOGY			OUTPUT	OPTIONS			MOUNTING	SEALING
SERIES	LIFECYCLES	ANIS	TECHNOLOGY	Single	Dual	Analog	PWM	USB	CAN bus	OPTIONS	SEALING
1000	5 million (HE version: 1 million)	1, 2,	Switching (1, 2 poles)	x						22mm bushing, 4 point screw	Up to IP67

BHN/BL SERIES

PROPORTIONAL PADDLES

TOP APPLICATIONS:

IN-CAB CONTROLS, TRACTORS, COMBINES, ARMRESTS & DASHBOARDS



STYLISH AND ROBUST

- Available in 2 heights • Soft touch sculpted grip
- Sealed up to IP67
- SIL2 / PLd capable

MECHANICAL	AVIC	AVIS TECHNIOLOGY			OUTPUT	OPTIONS	MOUNTING	SEALING		
LIFECYCLES	AXIS	TECHNOLOGI	Single	Dual	Analog	PWM	USB	CAN bus	OPTIONS	SEALING
. 10 million	Single	Hall effect	X	X	X	X			Drop-in	IP67
	LIFECYCLES	LIFECYCLES	LIFECYCLES AXIS TECHNOLOGY	LIFECYCLES AXIS TECHNOLOGY Single	Single Dual	LIFECYCLES AXIS IECHNOLOGY Single Dual Analog	LIFECYCLES AXIS TECHNOLOGY Single Dual Analog PWM	LIFECYCLES AXIS TECHNOLOGY Single Dual Analog PWM USB	Single Dual Analog PWM USB CAN bus	Single Dual Analog PWM USB CAN bus OPTIONS

JOYSTICKS

TS SERIES

PROPORTIONAL HALL EFFECT THUMBSTICK

TOP APPLICATIONS: TRACTORS, COMBINES, SPECIALTY HARVESTERS, REMOTE CONTROLS, ARMRESTS & DASHBOARDS



PRECISION FINGERTIP CONTROL

- Ergonomically designed for repetitive operation
- Highly reliable: up to IP67 and IP69K sealing
- Easy integration with rear or drop-in mounting & compact size

SERIES	MECHANICAL LIFECYCLES	AXIS	TECHNOLOGY			OUTPUT	OPTIONS		MOUNTING	PANEL SEALING	
SERIES				Single	Dual	Analog	PWM	USB	CAN bus	OPTIONS	PAINEL SEALING
TS	1 million	1, 2	Hall effect	Х	Х	X		х		Drop-in or rear mounting	IP67, IP69K

NV SERIES

NAVIGATOR SWITCH

TOP APPLICATIONS: TRACTORS, COMBINES, SPECIALTY HARVESTERS





IDEAL AS DISPLAY CONTROLLER

- Compact momentary micro switching thumbstick
- Available with "push to validate" option, ideal for navigation in display menu
- Enhanced tactile feedback
- Easy integration in joystick handle
- Sealed up to IP69K

SERIES	MECHANICAL LIFECYCLES AXIS		BUSHING DIMENSIONS TECHNOLOGY		TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	
NV	1 million	1,2	Ø16.2 mm (.637 in)	Switching	Wire leads or connector	Panel	IP69K	

PANEL SWITCHES PCB SWITCHES LED INDICATORS

JOYSTICKS

PANEL SOLUTIONS

HR & CW SERIES

PROPORTIONAL THUMBWHEELS

TOP APPLICATIONS: TRACTORS, COMBINES, SPECIALTY HARVESTERS, REMOTE CONTROLS, ARMRESTS & DASHBOARDS



ROLLER AVAILABLE WITH MANY OPTIONS

- Backlighting & detent options available (up to 11)
- Non-contacting Hall effect technology
- Self centering spring return mechanism

• Choice of 4 actuator styles

	SERIES	MECHANICAL LIFECYCLES	MECHANICAL	AXIS	TECHNOLOGY			ОИТРИТ	MOUNTING	SEALING		
			AXIS	TECHNOLOGY	Single	Dual	Analog	PWM	USB	CAN bus	OPTIONS	SEALING
	HR	5 million	1	Hall effect	X	X	X				Rear mounting	IP68





MINIATURE ROLLER

• Up to 3 million lifecycles		• Snap-in m		• Cust	om actu	Spring to center					
SERIES	MECHANICAL LIFECYCLES	AXIS	TECHNOLOGY	Single	Dual	OUTPUT Analog	OPTIONS PWM	USB	CAN bus	MOUNTING OPTIONS	SEALING
CW	3 million	Single	Hall effect	Х	Х	Х	X			Snap-in	-

ELASTOMERIC KEYPAD

RUBBER KEYPAD

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



STANDARD SOLUTION FOR MULTIPLE BUTTON APPLICATIONS

- CAN bus or direct wiring output options
- CAN solution e-marking qualified (EMI, EMC)

- Bargraph & indicators available
- Braille usage and glove usage compatible

6 BUTTON KEYPADS

Sealed up to IP67

Can J1939 or discrete

12 to 24 VDC operating voltage

Easy front mounting

ENHANCED MEMBRANE KEYPAD

MEMBRANE KEYPAD

TOP APPLICATIONS: IN-CAB CONTROLS, TRACTORS, COMBINES, SPECIALTY HARVESTERS, SELF-PROPELLED SPRAYERS



SEALED AND SHOCK RESISTANT KEYPAD

- UV resistant

ENHANCED MEMBRANE KEYPADS

Panel mounted or remote control formats available

Standard 2 or 3 buttons available

Custom graphic marking

STAINLESS STEEL KEYPAD

STAINLESS STEEL KEYPAD

TOP APPLICATIONS: SCREEN NAVIGATION IN SELF PROPELLED VEHICLES AND FOR ATTACHMENTS, REMOTE CONTROLS



RUGGED, CUSTOMIZABLE BACKLIT KEYPAD

- Outdoor use (greenhouse environment resistant)
- Customizable selection of key legends and symbols
- Single or multi color options available

- Fully customizable keyboard size and button position/ configuration
- Current switching up to 150 mA

STAINLESS STEEL KEYPADS

Sealed up to IP67 & impact resistant up to IK09

Diameter 17 mm and 20 mm pushbuttons available

Backlighting and LED indicators windows available

 $\label{thm:high-resistance} \mbox{High resistance to agricultural chemicals (fertilizer, gasoline, oil, ...)}$

Button legends resistant to heavy extended use

Thin design to 7,1 mm below panel





70 70 years of trust built on quality

1,400 EMPLOYEES WORLDWIDE

+ 50,000 PART NUMBERS

WORLDWIDE SALES & CUSTOMER SUPPORT

970 Park Center Drive VISTA, CA 92081 Tel: (+1) 760 598 2518 info@apem.com

USA 63 Neck Road HAVERHILL, MA 01835 Tel: (+1) 978 372 1602 info@apem.com

CHINA
IDEC Shanghai
8th Floor, Tower 2,
Enterprise Centre,
No.209 Gong He Road,
Shanghai, 200040, P.R.C
Tel: +86 21 6076 1355
apem@apem.com.cn

BENELUX Belgicastraat 7/1 1930 ZAVENTEM Belgium
Tel B: (+32) 27 25 05 00
Tel NL: (+31) (70) 799 91 51
sales@apem.be

55, avenue Edouard Herriot BP1 82303 CAUSSADE Cedex Tel: (+33) 5 63 93 14 98 Fax: (+33) 5 63 93 19 03 commercial@apem.fr

GERMANY Gewerbehof Giesing Paulsdorfferstr. 34, 2. OG D-81549 MUNICH Tel: (+49) 89 45 99 11 0 Fax: (+49) 89 48 10 39 info@apem.de

ITALY
Via Marconi 147G
12030 MARENE (CN)
Tel: (+39) 0172 74 31 70
Fax: (+39) 0172 74 31 71
apem.italia@apem.it

Torshamnsgatan 39 S-16440 KISTA Tel: (+46) 8 626 38 00 Fax: (+46) 8 626 82 49 info@apem.se

Drakes Drive
LONG CRENDON,
Bucks HP18 9BA
England
Tel: (+44) 1 844 202400
Fax: (+44) 1 844 202500
sales@apem.co.uk

MORE THAN 130 DISTRIBUTORS WORLDWIDE