

### **Creating global HMI solutions**

021

# DEFENSE Ground vehicles, Communication & Remote Controls



#### For more than 70 years, APEM has been collaborating with leading defense companies. We have an unparalleled understanding that military applications require field proven and foolproof HMIs capable of operating under extreme conditions with consistent reliability.

APEM provides one of the widest ranges of customizable MIL-grade and CECC certified HMI solutions, including control panels, joysticks, pushbuttons and toggle switches & LED indicators. Temperature, dust, water, heavy shock,

# DEFENSE vibration... No condition is too extreme. **GROUND EQUIPMENT**



#### FOR UNCOMPROMISED RELIABILITY





**APEM IN** 








## A BROAD RANGE OF PRODUCTS AND SOLUTIONS

### APEM OFFERS



## YOU HAVE SPECIFIC NEEDS, WE HAVE INNOVATIVE AND ROBUST SOLUTIONS





### ROBUSTNESS is essential in building trust with the machine

#### 12000 & 13000 SERIES

The 12000 & 13000 series are designed to withstand the harshest environments. These compact and robust pushbutton switches are the perfect solution to trust your military equipment.



PRECISION to perfectly interact with complex machines

### THUMBSTICKS


In the military context, errors are not an option. Our thumbsticks enable you to reach a high level of precision while interacting with your application.



**CONTROL** driven by innovation.

#### JOYSTICKS

Discover how our range of joysticks helps military professionals easily control a growing number of vehicle functions.



**CUSTOMIZATION** For a simplified & unique experience

#### CONTROL PANELS

We understand that HMIs must simplify the way operators interact with a vehicle. By leveraging our experience, you can build a unique, robust and reliable control panel.

## HOW OUR PRODUCTS ARE USED





FG SERIES CONTROLLERS Ideal for military applications subject to high vibration



Small and robust pushbuttons, CECC and MIL approved

Proportional thumbsticks



High-performance switch for interface solutions



ES AND 13000 SERIES Metal emergency stop switches



ORM AND O SERIES LED indicators



Robust rocker switches



MSG, CSG SERIES Switch Guards



12000 & 13000 SERIES Highly reliable toggle switch and pushbutton



Switch based thumbsticks





Reliable pushbutton for harsh environments

IA SERIES Low profile pushbutton



**MEC PRODUCTS** Microswitch

IP, IZ, IA, IC, IM, IB-IS, AV Small and robust pushbuttons

12000 & 13000 SERIES Boots, guards

**ORM AND Q SERIES** LED indicators




TW, CW AND HR SERIES Thumbwheels

**ORM AND O SERIES** Indicators



**TS SERIES** Proportional thumbsticks







**MEC PRODUCTS** Microswitches



3000 AND HF SERIES Finger control joysticks

12000X778 & 13000X778 Small and robust pushbuttons, CECC and MIL approved




**13000 SERIES** Metal emergency stop for extreme conditions


# MORE THAN JUST MIL-GRADE COMPONENTS...

Our unique expertise enables us to go beyond only supplying HMI components. We see ourselves as partners whose goal is to help you build the perfect and reliable HMI solution based on your unique specifications. Over the years, we have built many custom solutions that integrate some of the latest HMI-related technologies. For instance, custom control panels for ground vehicles, remote controllers for UAVs, etc.

#### TECHNOLOGIES MASTERED BY APEM FOR MILITARY APPLICATIONS



#### CAPABILITY TO ADD ELECTRONICS AND SOFTWARE FUNCTIONS\*



\* APEM assesses each project in light of export control regulations

## APEM RELIABILITY

- 70 YEARS EXPERIENCE IN MILITARY HMI PRODUCTS
- VERTICALLY INTEGRATED
- PRODUCT DESIGNS AND QUALIFICATIONS BASED ON MIL STD 810, 1472 AND 461
- MILITARY PRODUCTS ARE 100% TESTED
- QPL PRODUCTS (MIL-DTL-3950 AND MIL-DTL-83731)
- CECC QUALIFIED PRODUCTS (CECC 96201 & 96401)
- NATO MANUFACTURER CODE F7507

### SOME OF OUR LATEST PROJECTS INCLUDE:

#### MILITARY TRUCKS USED BY SEVERAL EUROPEAN ARMY

We designed a keyboard with new functions and backlighting feature with electronic communication. Product supplied: 12000, TS, switch guards.



#### ARMORED VEHICLE USED BY NATO ARMY

We built the control panel used to interact with some of the vehicle functions and the HMI related to the remote weapon station. Products supplied: 12000X778, Q8, Q6.



#### TACTICAL HEADSET FOR A NORTH-EUROPEAN ARMY

We developed the pressel switch for soldier worn comm's unit. Product supplied: 12000X778 & IA series.



#### HIGH-CAPACITY RADIO RELAYS (HCRR) USED BY SEVERAL ARMIES

We created the ON-OFF function switch, cable and connector assembly needed. We also worked on the membrane keyboard used for cryptography features. Products supplied: 12000, 13000, membrane keyboard.

# OUR **PRODUCTS** LET APEM PUT ITS DECADES OF DEFENSE EXPERIENCE TO WORK FOR YOU

WHETHER IT'S A STANDARD PRODUCT OFFERING OR A CUSTOMIZED SOLUTION,

## CONTENT

No al

PANEL SWITCHES

L	12000X778 SERIES	9
	THE BEST TOGGLE FOR MILITARY APPLICATION	S
	12000 SERIES	10
	RELIABLE PRODUCT	
	13000X778 SERIES	11
	HIGH RELIABILITY PUSHBUTTON	
	13000 SERIES	12
Ter	RUGGED PUSH SWITCH	



D

WP SERIES

LARGE ACTIVATION SURFACE, SUITABLE FOR GLOV	′ES
WPG SERIES	14
RESTRICTION OF CRITICAL FUNCTION	
MSG AND 90 SERIES	15
TO SECURE CRITICAL FUNCTIONS	



**SEALING BOOTS** 16 ADDITIONAL SEALING BARRIER

13

IA: EXCELLENT TACTILE FEEDBACK IX: COMPACT PUSHBUTTON WITH BACKLIGHTED LOGOS			JOYSTICKS	
			NV SERIES	
IP, IZ SERIES ONE PUSHBUTTON: MANY OPTIONS	18		NAVIGATOR SWITCH FOR EASY AND ACCURATE MENU SELECTION	
KH SERIES	19		TS SERIES	
PROTECT AGAINST INADVERTANT ACTIVAT			INTUITIVE METHOD OF CONTROL	
KL SERIES	20		CW SERIES	
INTUITIVE UNLOCKING			SMALL ENVELOPPE FOR ERGONOMIC CON	TRC
ES SERIES	21		HR / TW SERIES	
INDESTRUCTIBLE		Apan	ROBUST THUMBWHELL	
3500 SERIES	23		IP DESKTOP SERIES	
TOGGLE FOR DEMANDING APPLICATION	S		DESKTOP CONTROLLER FOR VIDEO SURVE	ILL
MT SERIES	24		3000 SERIES	
ERGONOMIC SELECTOR		ę	ROBUST FOR MILITARY APPLICATIONS	
AV SERIES	25	Ø	FG SERIES	
LARGE ACTIVATION SURFACE, SUITABLE FOR	GLOVES	Γ	RUGGED OPERATION FOR HIGH VIBRATION APPLICATIONS	

#### PCB SWITCHES



	MUL	TIMEC 5 SERIES		26
-	ABSOL	UTE RELIABILITY AND FUN	ICTIONALITY	
		LED INDICATORS		
	QRM	SERIES		27
	REAR	MOUNT NVIS INDICATOR		
	Q SE	RIES		28
	LARGE	VARIETY OF SIZES AND C	OLORS	



RUGGEDIZED KEYBOARD PRODUCT FOR A TOUGHEST ENVIRONMENT

37

38



STANDARD SOLUTION FOR MULTIPLE BUTTON APPLICATIONS

KP6 CANBUS SERIES

## 12000X778 SERIES

MIL SPEC TOGGLE SWITCH

### **TOP APPLICATIONS:** MILITARY VEHICLES, TACTICAL HEADSETS, UNMANNED VEHICLE CONTROLS



### THE BEST TOGGLE FOR MILITARY APPLICATIONS

#### • CECC 96201-005 & 008 approvals

- MIL 3950 & 83731 QPL
- Compact behind panel (50% more compact (width/depth) than MS2452 products)
- Easy to customise : finish, levers with or without locking
- Suitable for immersion (IP68)

(wiui												
SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION			
12000X778	150.000 cycles (switches with 2 maintained positions) 100.000 cycles (switches with 3 maintained positions) 50.000 cycles (momentary functions 7, 8, 4-1R, 4-2R, 5)	CECC MIL-DTL-3950 MIL-DTL-83731	2,3,4	4 A 30 VDC	Ø11,9 mm (15/32)	Solder lugs, PCB	Panel - Vertical - Through hole	IP68	No			

## **12000 SERIES**

**PROFESSIONAL TOGGLE SWITCH** 

TOP APPLICATIONS: REMOTE CONTROLS



### RELIABLE PRODUCT

- CECC 96201-005 & 008 approvals
- Compact behind panel

- Easy to customise : finish, levers with orwithout locking
- Optionnal sealing

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
12000	150.000 cycles (switches with 2 maintained positions) 100.000 cycles (switches with 3 maintained positions)	CECC	2,3,4	4 A 30 VDC	Ø11,9 mm (15/32)	Solder lugs, PCB	Panel - Vertical - Through hole	Optionnal	No

PANEL SWITCHES

## 13000X778 SERIES

MILITARY GRADE QUICK-BREAK MOMENTARY PUSHBUTTON SWITCH

**TOP APPLICATIONS:** WEAPON FUNCTIONS, MILITARY VEHICLES, MILITARY GRIPS



### HIGH RELIABILITY PUSHBUTTON

- Up to three poles
- Suitable for immersion up to 10 m

- Large actuator version is compliant with MIL-STD-1472F
- CECC 96401-001 approval

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
13000X778	150.000 cycles	CECC	2,3	4 A 30 VDC	Ø11,9 mm (15/32)	Solder lugs, PCB	Panel - Vertical - Through hole	Up to IP68	No

## **13000 SERIES**

MILITARY GRADE PUSH-PULL SWITCH

TOP APPLICATIONS: MILITARY CONTROL PANELS



### RUGGED PUSH SWITCH

- Sealed up to IP65, IP67 & IP69K
- Large actuator for ease of operation
- MAXIMUM BUSHING TERMINAL MOUNTING SERIES APPROVALS POLES SEALING ILLUMINATION MECHANICAL LIFECYCLES DIMENSIONS RATINGS OPTIONS OPTIONS 10.000 cycles Ø15 mm Solder lugs, PCB 4 A 28 VDC 13000 N/A 2,3 Panel IP65 No (.59)

• Compact body for space saving (13000)

PANEL SWITCHES PCB SWITCHES

LED INDICATORS

## WP SERIES

#### MILITARY GRADE MOMENTARY PUSHBUTTON SWITCH

TOP APPLICATIONS: MILITARY CONTROL PANELS



### LARGE ACTIVATION SURFACE, SUITABLE FOR GLOVES

- Sealed up to IP67 & IP69K
- Large actuator for ease of operation

• Compact behind the panel

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
WP	50.000 cycles	N/A	2	4 A 30 VDC	Ø22 mm (.87)	Solder lugs, PCB	Panel	IP67; IP69K	No

 $13 \quad \text{apem defense} \text{ ground vehicles, communication & remote controls} \\$ 

## WPG SERIES

SWITCH GUARD

### TOP APPLICATIONS: MILITARY CONTROL PANELS



## RESTRICTION OF CRITICAL FUNCTION

- Prevent accidental operation
- Latching

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
WPG	N/A	N/A	N/A	N/A	Ø22 mm (.87)	N/A	Panel	Yes	No

## **MSG AND 90 SERIES**

SWITCH GUARD

### TOP APPLICATIONS: MILITARY CONTROL PANELS, MILITARY VEHICLES



## TO SECURE CRITICAL FUNCTIONS

- Many switch guard types available
- Compatible with MIL3950 and MIL83731 toggles

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
MSG 90	20,000 cycles	N/A	N/A	N/A	Ø11,9 mm (15/32) Ø12 mm (.472)	N/A	Panel	N/A	No

## **SEALING BOOTS**

**TOGGLE & PUSHBUTTON BOOT** 

#### TOP APPLICATIONS: ALL OUTDOOR AND HARSH ENVIRONMENTS



## ADDITIONAL SEALING BARRIER

- Available for toggle and pushbutton switches
- Wide variety of shapes & colors

- Fast customization to accommodate any actuator length
- Available in silicone and neophrene

SERIES	BOOT MATERIAL NUT MATE			EMPERATURE	TEMPERAT	JRE RANGE	ELASTICITY	MECHANICAL	
SERIES BOOT MATERIAL NUT MATERIAL		OPERATING	EWPERATORE	Low	High	ELASTICITY	RESISTANCE		
Boots	Neoprene or silicone	Neonrene	Brass, nickel	Silicone	-40 °C to +85 °C	Best	Best	Best	Good
		plated, matt black	Neoprene	-20 °C to +50 °C	Good	Better	Good	Best	

• Frost, sand and

## IA, IX SERIES

DUSTPROOF PUSHBUTTON SWITCH

TOP APPLICATIONS: REMOTE CONTROLS, GRIPS



### IA: EXCELLENT TACTILE FEEDBACK IX: COMPACT PUSHBUTTON WITH BACKLIGHTED LOGOS

IX

on to	proof: Membrane hydrod p with no gap • Flush een actuator and • Sealed I • SIL2/F	• Dustpi with ne	<ul> <li>Available with backlit marking</li> <li>Dustproof: Membrane on top with no gap between actuator and panel</li> </ul>			hydrocarbon resistant • Flush on panel • Sealed up to IP67/IP69K • SIL2/Pld capable			
SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
IA	1.000.000 cycles	N/A	NO+NC	2A 24VDC	Ø16 mm (.629)	Flying leads	Panel	IP65, IP67	No
IX	1.000.000 cycles	N/A	NO+NC	2A 28VDC	Ø12 mm (.472)	Solder lugs, wires	Panel	IP67; IP69K	Yes

17 APEM DEFENSE GROUND VEHICLES, COMMUNICATION & REMOTE CONTROLS

• Frost, sand and

IA

## IP, IZ SERIES

### PUSHBUTTON SWITCHES FOR HARSH ENVIRONMENTS

### **TOP APPLICATIONS:** GRIPS, MILITARY VEHICLES, TACTICAL HEADSETS



### ONE PUSHBUTTON: MANY OPTIONS

- Available with illumination
- Sealed up to IP67
- Marking in option
- Momentary or latching
- Up to SIL2/Pld capable

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
IP	1.000.000 cycles	UL	1	5A 28VDC	Ø12 mm (.472)	Solder lugs, Quick connect, PCB, flying leads	Panel	IP67	Yes
IZ	1.000.000 cycles	N/A	1	5A 28VDC	Ø16 mm (.629)	Solder lugs, Quick connect, PCB, flying leads	Panel, Vertical- Through hole	IP67	Yes

## **KH SERIES**

PROTECTED ROCKER SWITCHES

### **TOP APPLICATIONS:** DASHBOARDS ON MILITARY VEHICLES



### PROTECT AGAINST INADVERTANT ACTIVATION

- Protected against accidental actuation
- Customized laser etched legends

- Illuminated versions
- Up to IP68/IP69K

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
КН	150.000 cycles	N/A	1, 2	10A 24VDC	36.8 x 21.08 mm	Solder lugs, quick-connect	Panel	IP68	Yes

## **KL SERIES**

LOCKING ROCKER SWITCH

### TOP APPLICATIONS: DASHBOARDS ON MILITARY VEHICLES



### INTUITIVE UNLOCKING

- Patented locking system for safety application
- Iluminated versions

• Customised laser etched legends

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
KL	150.000 cycles	N/A	1, 2	10A 24VDC	36.8 x 21.08 mm	Solder lugs, quick-connect, screw	Panel	IP68, IP69K	Yes

## **ES SERIES**

### HEAVY DUTY METAL SAFETY SWITCH

TOP APPLICATIONS: MILITARY CONTROL PANELS



### INDESTRUCTIBLE

- Sealed up to IP65, IP67 & IP69K
- Compact body

- Complies with EN60947-5-1
- Impact resistant to IK10

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
ES	100.000 cycles	EN60947-5-1	2,3	1 A 24 VDC DC-14	Ø22 mm Ø28 mm	Solder lugs, PCB	Panel, Vertical- Through hole	IP65 IP67 IP69K	No

DEFENSE GROUND EQUIPMENT



## APEM'S INDUSTRIAL EMERGENCY STOP PRODUCT OFFERING

### APEM IS A WORLD LEADER IN INDUSTRIAL E-STOPS




www.apem.com 22

## 3500 SERIES

HIGH PERFORMANCE TOGGLE SWITCH

TOP APPLICATIONS: MILITARY CONTROL PANELS



### TOGGLE FOR DEMANDING APPLICATIONS

- High current rating
- CECC 96201-004 approval
- Easy to customise : finish, levers with or without locking

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
3500	40.000 cycles	CECC	1,2	15 A 28 VDC	Ø11,9 mm (15/32)	Solder lugs, Quick-connect, Screw	Panel	IP67 IP69K	No

## **MT SERIES**

SEALED ROCKER SWITCH

### **TOP APPLICATIONS:** SEALED ERGONOMIC ELECTRICAL INTERFACE



### ERGONOMIC SELECTOR


- Environmentally sealed (IP68)
- Multiple functions available

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
MT	100.000 cycles	N/A	1	4 A 30 VDC	Ø17,46 mm (11/16)	Solder lugs, PCB	Panel, Vertical- Through hole	IP68	No

## **AV SERIES**

### RUGGED METALLIC PUSHBUTTON

### TOP APPLICATIONS: MILITARY CONTROL PANELS



### LARGE ACTIVATION SURFACE, SUITABLE FOR GLOVES

#### Robust pushbutton

• Stainless steel actuator and bushing

- Appealing aesthetics
- Easily customizable: marking, illumination

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
AV	1.000.000 cycles	N/A	1	1A 30 VDC	Ø30 mm (1.18)	Solder lugs, wires, cable	Panel	IP67	Yes

DEFENSE GROUND EQUIPMENT



# **MULTIMEC 5 SERIES**

### TACTILE PCB SWITCH

### TOP APPLICATIONS: DISPLAY PANEL FOR WEAPONS SYSTEMS



### ABSOLUTE RELIABILITY AND FUNCTIONALITY

- Front panel sealing to IP67 with different cap solutions
- Reliable : 10 million activations, strength of actuating tested at twice MIL-PRF-22885H requirements
- Different haptic options (including quiet option)

SERIES	POLES	FUNCTION	MAXIMUM RATING	MOUNTING OPTIONS	SEALING	MECHANICAL LIFE
Multimec 5	Single pole / momentary	NO & NC/NO	50 mA - 24 VDC	Through hole or SMT mounting	IP67	10 million

## **QRM SERIES**

REAR MOUNT LED INDICATOR

#### **TOP APPLICATIONS:** MILITARY VEHICLES, AVIONICS AND NIGHT VISION APPLICATIONS



### REAR MOUNT NVIS LED INDICATOR

	compliant t profile body	o MIL standard 30		o mimic 12000X778 se I panel depth	ries toggle • IP67 sealing • Black finish	
SERIES	PANEL CUT	MAXIMUM RATINGS	BEZEL FINISH	TERMINAL OPTION	TYPE OF ILLUMINATION	LED COLOUR
QRM	6 mm 8 mm 14 mm	2 VDC – 28 VAC/DC	Black or Anodized	Pins, Wires	Fixed light, Bi-colour, Tri-colour (8 & 14 mm)	5 standard colours, 3 hyper bright colours, 6 super bright colours, 3 bi-colours 1 tri-colour
QRM NV	8 mm 14 mm	2 VDC – 28 VAC/DC	Black or Anodized	Pins (8 mm only), Wires	Night vision	6 NVIS colours

# **Q SERIES**

### PANEL MOUNT LED INDOCATOR

#### TOP APPLICATIONS: CONTROL TOWER, DASHBOARD, BELLY BOX CONTROLS & COMMUNICATION TOWERS AND RIGS



### LARGE VARIETY OF SIZES AND COLORS

- Reverse diode protection available
- Wide variety of LED colors
- Wire customization available
- Optional sealing up to IP67
- Many different panel cut-out sizes
- Available with custom and secret until lit legends

SERIES	PANEL CUT-OUT	MAXIMUM RATINGS	BEZEL STYLES	BEZEL FINISHES	TERMINAL OPTION	TYPE OF ILLUMINATION	LED COLORS
Q	Ø6, 8, 10, 12, 14, 16, 19, 22, 25, 30	2VDC -220VAC	Prominent, recessed & flushed	Bright Chrome, Black, satin Grey & anodized colors	Solder lugs, Fastons, Pins, Wire	Fixed light, bi-color, RGB, night vision	6 standard colors, 6 superbright colors, 4 hyperbright colors

PCB SWITCHES

# **NV SERIES**

#### NAVIGATOR SWITCH

#### **TOP APPLICATIONS:** SCREEN NAVIGATION, UNMANNED AIRCRAFT SYSTEMS / DASHBOARD



### NAVIGATOR SWITCH FOR EASY AND ACCURATE MENU SELECTION

#### • 16 mm cut-out

• 4 directions and validation in center

• Excellent tactile feedback

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
NV	1 million		1, 2	Switching	Single	Drop-in	IP69K

## **TS SERIES**

### **PROPORTIONAL HALL EFFECT THUMBSTICK**

### **TOP APPLICATIONS:** ROBOTICS CONTROL, UNMANNED AIRCRAFT SYSTEMS, DRONES



### INTUITIVE METHOD OF CONTROL

- Illuminated version available
- Highly reliable: up to IP67 and IP69K sealing
- Ergonomically designed for repetitive operation over extended periods
- and IP69K sealing

  Easy integration with rear
- or drop-in mounting & compact size
- Available with multiple handle
   options and material

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
TS	1 million		1, 2	Hall effect	Single, Dual, Analog	Drop-in or rear mounting	IP67

## **CW SERIES**

PROPORTIONAL THUMBWHEEL

### **TOP APPLICATIONS:** GRIPS & REMOTE CONTROL FOR DRONES



## SMALL ENVELOPPE FOR ERGONOMIC CONTROLLER

- Up to 3 million lifecycles
- Snap-in mounting

- Custom actuator on request
- Spring to center

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
CW	3 million	Spring to center	Single	Hall effect	Single, Dual, Analog, PWM	Snap-in	Sealed electronics

# HR / TW SERIES

PROPORTIONAL THUMBWHEEL

TOP APPLICATIONS: GRIPS



### ROBUST THUMBWHELL

- Hall effect technology for long life performance
- Electronics sealed up to IP67

- Friction, detents & backlit options available
- Different types of actuators

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
HR	5 million	Friction hold Spring to center	- 1	Hall effect	Single, Dual, Analog	Rear mounting	IP68
TW		Spring to center				Drop-in	IP67

## IP DESKTOP SERIES

**USB DESKTOP CONTROLLER** 

**TOP APPLICATIONS:** UAV, SECURITY, CCTV, SURVEILLANCE



### DESKTOP CONTROLLER FOR VIDEO SURVEILLANCE

- 3 axis joysticks for P/T/Z control
- Programmable pushbuttons

- USB 1.1 HID compliant
- For indoor environment

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
IP Desktop	3 million	3 axis joystick & 12 pushbuttons	3	Hall effect	USB	NA	NA

## 3000 SERIES

### FINGERTIP HALL EFFECT JOYSTICK

### **TOP APPLICATIONS:** FORWARD LOOKING INFRARED RADARS, THERMAL IMAGING



### ROBUST FOR MILITARY APPLICATIONS

			Rated for 10 million lifecycles		
SERIES MECHANICAL LIFECYCLES ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
3000 10 million Spring to center	1, 2, 3	Hall effect	Single, Dual, Analog, PWM, CAN bus	Drop-in or rear mounting	IP66

## **FG SERIES**

FIXED GRIP HAND CONTROLLER

TOP APPLICATIONS: TURRET CONTOL



## RUGGED OPERATION FOR HIGH VIBRATION APPLICATIONS

- Rugged hand operation
- Custom configurable

- USB output options
- Protected index trigger

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
FG	Depend on component configuration	NA	NA	Depends on customization	USB, Analog, CAN bus	Panel	IP65*

#### DEFENSE GROUND EQUIPMENT



## XD GT/RT, XP & XF SERIES

### DISCOVER OUR WIDE RANGE OF JOYSTICKS

XP SERIES Robust Mid-sized Joystick

**XD GT SERIES** Multi-axis hand grip joystick

T

APE



**XF SERIES** Small Hall Effect Joystick

### **XD SERIES**

Shallow mounting depth < 60 mm Extremely robust, resists high axial load (1780 N - 400 lbf) PCB SWITCHES

I ED INDICATORS


JOYSTICKS

PANEL SOLUTIONS

## RUGGEDIZED MILITARY KEYBOARD

#### CONTROL SYSTEMS FOR HARSH ENVIRONMENTS

**TOP APPLICATIONS:** VEHICLE KEYBOARDS



### PRODUCT FOR A TOUGHEST ENVIRONMENT

- Military qualification to MIL Std 810 G including impact resistance and finger guide to be used with gloves
- Possibility of embedded communication, built in tests or power electronics
- Short development phase
- Integration of multiple components

MULTI FUNCTION CO	NTROL PANEL

Critical electronic and software design expertise

Meets critical military specifications such as MIL, STANAG, GAM...

Answers to sealing demands : IP65, IP68, IP69K

Standard communication protocols including CAN, USB, RS422, RS485...

Uniform backlighting option

# **KP6 CANBUS SERIES**

**RUBBER KEYPADS** 

TOP APPLICATIONS: DASHBOARD



### STANDARD SOLUTION FOR MULTIPLE BUTTON APPLICATIONS

Customisable keysBacklit pictograms

- CANbus output or standar output version
- 1 Million cycles

 EMC shielded/ESD – Passed «E» marking (ECE R10 approved)

SERIES	SEALING	OPERATING VOLTAGE	COMMUNICATION PROTOCOL	MOUNTING	EXTRA FEATURES	STANDARD 6 BUTTON KEYBOARD			
			Can J1939	Snap-in front		IP65 sealing - option for IP67 and IP69K			
					Special illumination/	Can J1939 and option for CAN Open			
KP6 CANBUS			mounting	phantom marking/ special key colors	9 V to 36 V operating voltage				
						Easy front mounting, with snap-in / flush design			
						Lasy none mounting, with shap-in/ hush design			

### CONFIGURE YOUR PANEL SOLUTION WITH QUALIFIED & RELIABLE HMI COMPONENTS

APEM develops complete interface solutions combining components (switches, keypads, indicators, joysticks), standard electronic boards and programming. An APEM team professional is happy to assist you in the development of these complete turnkey solutions, meeting your specific requirements, with responsiveness and flexibility.

1200



## CUSTOM CONTROL PANEL SOLUTIONS

### 

#### CUSTOM BEZEL KEYBOARD MEMBRANE SWITCH PANELS WITH PCB

APEM has developed a unique expertise in the creation of integrated custom-made ruggedized control panels with MIL-grade electronics and software. Our design, qualification and testing processes are compliant with military standards such as MIL-STD-810, MIL-STD-1472 and MIL-STD-461.

19:02



70 70 years of trust built on quality

1,400 EMPLOYEES WORLDWIDE  $(\xi)$ 

**50,000 +** PART NUMBERS

#### WORLDWIDE SALES & CUSTOMER SUPPORT

970 Park Center Drive VISTA, CA 92081 Tel: (+1) 760 598 2518 info@apem.com

USA 10 New England Business Center Drive, Ste 203 Andover, MA 01810 Tel: (+1) 978 372 1602 info@apem.com

CHINA IDEC Shanghai 8th Floor, Tower 2, Enterprise Centre, No.209 Gong He Road, Shanghai, 200040, P.R.C Tel: +86 21 6076 1355

#### JAPAN

JAPAN IDEC Corporation 2-6-64 Nishimiyahara, Yodogawa-ku, Osaka, Japan 532-0004 apem-sales@jp.idec.com

# SINGAPORE IDEC Izumi Asia Pte Ltd 31 Tannery Lane Singapore 347788 Tel: +65 6746 1155 apem.apec@idec.com

#### BENELUX

BENELUX Belgicastraat 7/1 1930 ZAVENTEM Belgium Tel B: (+32) 27 25 05 00 Tel NL: (+31) (70) 799 91 51 be.sales@apem.com

55, avenue Edouard Herriot BP1 82303 CAUSSADE Cedex Tel: (+33) 5 63 93 14 98 fr.commercial@apem.com

GERMANY Gewerbehof Giesing Paulsdorfferstr. 34, 2. OG D-81549 MUNICH Tel: (+49) 89 45 99 11 0 de.info@apem.com

ITALY Via Marconi 147G 12030 MARENE (CN) Tel: (+39) 0172 74 31 70 apem.italia@apem.com

Torshamnsgatan 39 S-16440 KISTA Tel: (+46) 8 626 38 00 se.info@apem.com

#### UNITED KINGDOM

Drakes Drive LONG CRENDON, Bucks HP18 9BA England Tel: (+44) 1 844 202400 uk.sales@apem.com

### MORE THAN 130 DISTRIBUTORS WORLDWIDE

in Follow us on Linkedin 🕒 Follow us on Youtube

#### apem.com

